

BACKFILL ALL CUTOUTS AROUND
PLAY STRUCTURE SUPPORTS AND
OTHER PENETRATIONS WITH
PLAYSEAL FILLER COMPOUND

SEE DETAIL "A"

2 1/4" PLAYGUARD TILE,
CUT TILES ALONG PERIPHERY
AND ROOF PENETRATIONS
AS REQUIRED

USE PLAYGUARD RAMPS TO
TRANSITION FROM TILES
TO ROOF SURFACE AT GATES,
DOORWAYS, WALKWAYS, AND
OTHER AREAS AS NEEDED.
(SEE DETAIL QBS-7 FOR
SPECIFIC EDGE TREATMENT
INSTALLATION.)

PROTECTION BOARD

WATERPROOF ROOF MEMBRANE

INSULATION

ROOF DECK

DO NOT PLACE OPEN ENDED, TUBULAR METAL
PLAY EQUIPMENT SUPPORT MEMBERS DIRECTLY
ON TILE SURFACE.

LOADING AT CONTACT POINTS MUST NOT EXCEED
3 P.S.I. CONTACT CSSI FOR RECOMMENDATIONS
REGARDING SURFACE MOUNTED STRUCTURES.

TYPICAL
PENETRATION

TYPICAL PITCH
POCKET

MASONRY WALL,
CURB OR PARAPET

3/8" DIA. BEAD OF
SIKAFLEX
URETHANE ADHESIVE
(SEE QSB-1 FOR
SPECIFIC APPLICATION)

2 1/4" TILE

17 MM QUAD-BLOCK CONNECTION

WATERPROOF ROOF MEMBRANE

INSULATION


PROTECTION BOARD

ROOF DECK

DETAIL "A"

NOTES:

1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
2. DO NOT SCALE DRAWINGS.
3. COLOUR TO BE CONFIRMED WITH OWNER PRIOR TO INSTALLATION.



ABOVE GRADE, QUAD-BLOCK, ROOF MEMBRANE

PLAYGUARD