

HPD UNIQUE IDENTIFIER: 20890

CLASSIFICATION: 09 06 60

PRODUCT DESCRIPTION: This HPD covers Ecore's composition rubber tile and rolled goods including Everlast, ECOsurfaces, Origins, QT, ECOsilence, UltraTile, ECOmax, ECOsmash, PlayGuard, SmashTile, Performance, ECOfit, ECOfit Plus, and underlayment.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered

Explanation(s) provided
for Residuals/Impurities?

- Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

RUBBER TILE AND ROLLED GOODS [**POLYURETHANE** **LT-UNK** **WATER** **BM-4** **CLAY** **NoGS** **LIMESTONE; CALCIUM CARBONATE** **LT-UNK** **PEROXIDE, (1,1,4,4-TETRAMETHYLTETRAMETHYLENE)BIS(TERT-PENTYL** **NoGS** **ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM)** **LT-UNK** **HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL)** **LT-1** | CAN | MUL **BUTANEDIOIC ACID, 1,4-DIMETHYL** **ESTER, POLYMER WITH 4-HYDROXY-2,2,6,6- TETRAMETHYL-1-PIPERIDINEETHANOL** **LT-UNK** **POLY((6-((1,1,3,3-TETRAMETHYLBUTYL)AMINO)-1,3,5-TRIAZINE-2,4- DIYL)((2,2,6,6-TETRAMETHYL-4-PIPERIDINYL)IMINO)-1,6- HEXANEDIYL((2,2,6,6-TETRAMETHYL-4-PIPERIDINYL)IMINO))** **NoGS** **TALC** **BM-1** | CAN **C.I. PIGMENT BLUE 15** **BM-3** **CORK GRANULES** **NoGS** **STYRENE BUTADIENE RUBBER (SBR)** **LT-UNK** **ETHYLENE VINYL ACETATE POLYMER (EVA)** **LT-UNK**]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Large range in material content is to account for all color options. Colors range from no color (black) to full color.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore

LCA: Environmental Product Declaration (EPD) by SCS

Recycled content: Recycled Content

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

PREPARER: Self-Prepared

SCREENING DATE: 2018-06-22

Yes
 No

VERIFIER:
VERIFICATION #:

PUBLISHED DATE: 2020-06-30
EXPIRY DATE: 2021-06-22



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

RUBBER TILE AND ROLLED GOODS

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/impurities in raw materials are measured, and are displayed in the HPD when greater than 1000ppm.

OTHER PRODUCT NOTES: Large range in material content is to account for all color options. Colors range from no color (black) to full color.

POLYURETHANE

ID: 64440-88-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-06-22

#: 6.7500 - 19.8100

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Binds EPDM and rubber

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-06-22

#: 0.6800 - 1.9200

GS: BM-4

RC: None

NANO: No

SUBSTANCE ROLE: Catalyst

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Catalyst that starts the polyurethane reaction.

CLAY

ID: 1302-87-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-06-22

#: 0.0000 - 14.0500

GS: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: EPDM		

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-06-22		
%: 0.0000 - 48.8600	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: EPDM				

PEROXIDE, (1,1,4,4-TETRAMETHYLTETRAMETHYLENE)BIS[TERT-PENTYL

ID: 5168-50-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-06-22		
%: 0.0000 - 1.1000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: EPDM				

ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM)

ID: 25038-36-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-06-22		
%: 0.0000 - 15.2700	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: EPDM				

HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL)

ID: 64742-54-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-06-22		
%: 0.0000 - 8.0000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Impact modifier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	Australia - GHS	H350 - May cause cancer

SUBSTANCE NOTES: EPDM

BUTANEDIOIC ACID, 1,4-DIMETHYL ESTER, POLYMER WITH 4-HYDROXY-2,2,6,6-TETRAMETHYL-1-PIPERIDINEETHANOL

ID: 65447-77-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-06-22**

#: **0.0000 - 0.2000**

GS: **LT-UNK**

RC:

None

NANO:

No

SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: EPDM

POLY((6-((1,1,3,3-TETRAMETHYLBUTYL)AMINO)-1,3,5-TRIAZINE-2,4-DIYL)((2,2,6,6-TETRAMETHYL-4-PIPERIDINYL)IMINO)-1,6-HEXANEDIYL((2,2,6,6-TETRAMETHYL-4-PIPERIDINYL)IMINO))

ID: 71878-19-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-06-22**

#: **0.0000 - 0.2000**

GS: **NoGS**

RC:

None

NANO:

No

SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: EPDM

TALC

ID: 14807-96-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2018-06-22**

#: **0.0000 - 0.4500**

GS: **BM-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: EPDM

C.I. PIGMENT BLUE 15

ID: 147-14-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-06-22

#: 0.0000 - 3.5900

GS: BM-3

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Pigment for EPDM. Various colors of pigment used.

CORK GRANULES

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-06-22

#: 0.0000 - 0.9700

GS: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Origins only

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-06-22

#: 0.0000 - 90.3600

GS: LT-UNK

RC: PostC

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Primary raw material. Large range in material content is to account for all color options. Colors range from no color (black) to full color.

ETHYLENE VINYL ACETATE POLYMER (EVA)

ID: 24937-78-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-06-22

#: 0.0000 - 1.4900

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Adhesive

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Adhesive for fusion bonded products

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

RFCI FloorScore

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

https://www.scs-certified.com/products/cert_pdfs/ECORE_2019_SCS-FS-01793_s2.pdf

ISSUE DATE:

2019-10-01

EXPIRY DATE:

2020-09-30

CERTIFIER OR LAB: **SCS**

Global Services

CERTIFICATION AND COMPLIANCE NOTES: **Conforms to the CDPH/EHLB Standard Method v1.1-2010 (effective January 1, 2012) for the school classroom and private office parameters when modeled as Flooring.**

LCA

Environmental Product Declaration (EPD) by SCS

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

https://www.scs-certified.com/products/cert_pdfs/SCS-EPD-06146_Ecore_Rubber-Flooring_052020.pdf

ISSUE DATE: **2020-05-20**

EXPIRY DATE: **2025-05-19**

CERTIFIER OR LAB: **SCS**
Global Services

CERTIFICATION AND COMPLIANCE NOTES: **PCR Guidance for Building-Related Products and Services Part A: Life Cycle Assessment Calculation Rules and Report Requirements. Version 3.2. UL Environment. Sept. 2018 PCR Guidance for Building-Related Products and Services Part B: Flooring EPD Requirements. Version 2. UL Environment. May 2018.**

RECYCLED CONTENT

Recycled Content

CERTIFYING PARTY: **Self-declared**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

ISSUE DATE: **2015-04-19**

EXPIRY DATE:

CERTIFIER OR LAB: **Ecore**

CERTIFICATION AND COMPLIANCE NOTES: **Recycled content varies by color. Please consult LEED guides for a list of recycled content by product and color.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

E GRIP III

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

E-Grip III is a revolutionary zero-VOC adhesive that is used during flooring installation.

E-CLEANER

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

This cleaner meets Green Seal™ GS-37 standard. This cleaner can be used for initial, daily, and restorative cleaning

ECOGUARD

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

A coating that is standard on all ECOsurfaces wear layers (excluding tile products, EConights). It is a factory-applied maintenance coat that protects the floor from dirt and scuff marks.

E-FINISH

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

E-Finish is a flooring finish. It gives a tough, black-mark resistant shine with no powdering.

E-STRIP

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

E-Strip is used for restorative maintenance when there is noticeable accumulation of dirt and contaminants embedded in the finish. E-Strip removes multiple layers of finish without harsh alkalis and other conventional components. E-Strip is specifically designed to remove E-Finish, but will also remove most conventional metal crosslinked floor polishes.

Section 5: General Notes

Large range in material content is to account for all color options. Colors range from no color (black) to full color.



MANUFACTURER INFORMATION

MANUFACTURER: **Ecore International**
 ADDRESS: **715 Fountain Ave**
Lancaster PA 17601, United States
 WEBSITE: **715 Fountain Ave**

CONTACT NAME: **Dana Davis**
 TITLE: **Marketing Analyst**
 PHONE: **7178248210**
 EMAIL: **dana.davis@ecoreintl.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.